



SIBA

Merkez Ofis - Head Office

Karaoğlanoğlu Caddesi No.285, Karaoğlanoğlu - Girne / KKTC
Tel: +90 392 822 40 69 - +90 548 826 40 40

Merkez Showroom - Showroom

Karaoğlanoğlu Cad. Paradise Court D.1, D.2 , D.3, Karaoğlanoğlu - Girne / KKTC
Tel: +90 533 883 58 58

Girne Şube - Kyrenia Branch Office

Yağmur Sok. Ersoy Plaza No:4-5 Bellapais Kavşağı Yanı - Girne / KKTC
Tel: +90 392 815 47 28 - +90 533 886 76 86

Erülcü Şube - Erulku Branch Office

Erülcü Süpermarket - Minareliköy / KKTC
Tel: +90 548 811 40 40

Gazimağusa Şube - Famagusta Branch Office

Hasan Barboçelli Sokak, Sakarya Bölgesi, Corner Park Apt. Dükkan 1, Gazimağusa / KKTC
Tel: +90 533 832 44 64

Lefkoşa Şube - Nicosia Branch Office

Osman Örek Caddesi, Yapım İnşaat Merkez Bina, Zemin Kat - Lefkoşa / KKTC
Tel: +90 548 853 80 80

444 74 22

www.sibaltd.com



SIBA

POOL LED LIGHTS CATALOGUE

CATALOGUE




Replacement Bulb	01
Traditional Pc Wall Mounted Pool Light	03
Ultra Flat Pc & 316ss Wall Mounted Pool Light	05
Flat Pc & 316ss Wall Mounted Pool Light	07
Traditional 316ss Wall Mounted Pool Light	09
Patent Design Led Pool Light	11
Mini Spa & Step Light	13
Medium Wall Mounted Led Pool Light	15
1.5 Inch Snap Or Thread	17
Jellyfish Seris Led Pool Light	19
Silicone Neon Strip Light	21
Rectangle Led Pool LightI	23
Rf & Wifi Controller	25
Remote Controller	27
Accessories	29

SIBA Replacement Bulb

First factory who make the solid light, rich experience for making 100% waterproof light with special epoxy Acid-proof, alkali-proof and UV resistant


Features & BeneFits

- Super bright LED , Low heat LED boardand control board
- 16 working modes
- Low power consumption, high stability
- PC with highest transmission which use for optics and lenses
- In 80°C aging test, normal led pool light will broken after 5*8 hours, ourlights could work over 30*8 hours
- Long working life up to 60,000 hours, 3 Years quality guarantee
- Easy to install, suitable for swimming pools, fountains, PAR56 replacement,etc




HTPAR56B

RGB	900LM/18W	1150LM/23W	1500LM/30W
RGB	1650LM/33W	1800LM/36W	2750LM/55W
WHITE	2100LM/21W	2600LM/26W	3300LM/33W
WHITE	3600LM/36W	3900LM/39W	6000LM/60W




PAR56-T

RGB	900LM/18W	1150LM/23W	1500LM/30W	1650LM/33W
WHITE	2100LM/21W	2600LM/26W	3300LM/33W	3600LM/36W



HT001BL

RGB	900LM/18W	1150LM/23W	1500LM/30W	1650LM/33W
WHITE	2100LM/21W	2600LM/26W	3300LM/33W	3600LM/36W



HT001SL

RGB	250LM/5W
WHITE	600LM/6W

“After a long day at work,
I enjoy relaxing at my pool while watching
the magical light patterns in the water”




MODEL	Description of goods	POWER/INPUT		LUMEN		CONTROL
		RGB	WHITE(W)	RGB	WHITE(W)	
HTPAR56B	Resin Fi11ed PAR56 252 LEDS	18W/12V	21W/12V	900LM	2100LM	ON/OFF OR DMX
	Resin Fi11ed P4R56 324 LEDS	23W/12V	26W/12V	1150LM	2600LM	
	Resin Fi11ed PAR56 432 LE0S	30W/12V	33W/12V	1500LM	3300LM	
	Resin Filled PAR56 531 LE0S	33W/12V	36W/12V	1650LM	3600LM	
	Resin Fi11ed PAR56 630 LE0S	36W/12V	39W/12V	1800LM	3900LM	
	Resin Fi11ed PAR56 HIGH POWER	55W/12V	60W/12V	2750LM	6000LM	
PAR56-T	Traditional PAR56 252 LE0S	18W/12V	21W/12V	900LM	2100LM	ON/OFF
	Traditional PAR56 324 LE0S	23W/12V	26W/12V	1150LM	2600LM	
	Traditional Pan56 432 LE0S	30W/12V	33W/12V	1500LM	3300LM	
	Traditiona1 PAR56 531 LE0S	33W/12V	36W/12V	1650LM	3600LM	
HT001BL	E27 Replacement BULB 252 LE0S	18W/12V	21W/12V	900LM	2100LM	ON/OFF
	E27 Replacement BULB 324 LE0S	23W/12V	26W/12V	1150LM	2600LM	
	E27 Replacement BULB 432 LE0S	30W/12V	33W/12V	1500LM	3300LM	
	E27 Replacement BULB 531 LE0S	33W/12V	36W/12V	1650LM	3600LM	
HTO01SL	E27 Replacement BULB 54 LE0S	5W/12V	6W/12V	250LM	600LM	ON/OFF

SIBA

TRADITIONAL PC
WALL MOUNTED POOL LIGHT

Easy Wall Mounted Installation for Concrete Pool. 100% waterproof with resin filled. Intelligent color changing LED underwaterlight for swimming pool & spa.

Flat and fashion design PC frame.
16 exciting programs for RGB model.
Remote & Wi-Fi or DMX control are available.



HT003C-P

RGB	900LM/18W	1150LM/23W	1500LM/30W	1650LM/33W	1800LM/36W	2750LM/55W
WHITE	2100LM/21W	2600LM/26W	3300LM/33W	3600LM/36W	3900LM/39W	6000LM/60W

RGB	900LM/18W	1150LM/23W	1500LM/30W	1650LM/33W	1800LM/36W	2750LM/55W
WHITE	2100LM/21W	2600LM/26W	3300LM/33W	3600LM/36W	3900LM/39W	6000LM/60W



HT006C-P

RGB	900LM/18W	1150LM/23W	1500LM/30W	1650LM/33W	1800LM/36W	2750LM/55W
WHITE	2100LM/21W	2600LM/26W	3300LM/33W	3600LM/36W	3900LM/39W	6000LM/60W

RGB	500LM/10W
WHITE	1200LM/12W




HT005C-P




HT023C

Installation Diagram



Vinyl & Liner Pool



Fiberglass Pool


MODEL	Description of goods	POWER/INPUT		LUMEN		CONTROL
		RGB	WHITE(W)	RGB	WHITE(W)	
HT003C-P HT005C-P HT006C-P	WALL MOUNTING LIGHT 252 LEDS	18W/12V	21W/12V	900 LM	2100 LM	ON/OFF OR DMX
	WALL MOUNTING LIGHT 324 LEDS	23W/12V	26W/12V	1150 LM	2600 LM	
	WALL MOUNTING LIGHT 432 LEDS	30W/12V	33W/12V	1500 LM	3300 LM	
	WALL MOUNTING LIGHT 531 LEDS	33W/12V	36W/12V	1650 LM	3600 LM	
	WALL MOUNTING LIGHT 630 LEDS	36W/12V	39W/12V	1800 LM	3900 LM	
HT023C	WALL MOUNTING LIGHT HIGH POWER	55W/12V	60W/12V	2750 LM	6000 LM	
	Diffused Lens Wall MOUNTING LIGHT	10W/12V	12W/12V	500 LM	1200LM	

SIBA

ULTRA FLAT PC & 316SS
WALL MOUNTED POOL LIGHT



Installation Diagram




MODEL	Description of goods	POWER/INPUT		LUMEN		CONTROL
		RGB	WHITE(W)	RGB	WHITE(W)	
HT009C	Ultra Flat PC Wall Mounted 252 LEDS	18W/12V	21W/12V	900 LM	2100 LM	DMX
	Ultra Flat PC Wall Mounted 324 LEDS	23W/12V	26W/12V	1150 LM	2600 LM	
HT219S	Ultra Flat 316SS Wall Mounted 54 LEDS	5W/12V	6W/12V	250 LM	600 LM	
HT219M	Ultra Flat 316SS Wall Mounted 162 LEDS	10W/12V	11W/12V	500 LM	1100 LM	
HT219L	Ultra Flat 316SS Wall Mounted 252 LEDS	18W/12V	21W/12V	900 LM	2100 LM	
	Ultra Flat 316SS Wall Mounted 324 LEDS	23W/12V	26W/12V	1150 LM	2600 LM	



HT009C

RGB	900LM/18W	1150LM/23W
WHITE	2100LM/21W	2600LM/26W



HT219S

RGB	250 LM/5 W
WHITE	600 LM/6 W



HT219M

RGB	500 LM/10 W
WHITE	1100 LM/11 W



HT219L

RGB	900LM/18W	1150LM/23W
WHITE	2100LM/21W	2600LM/26W



FLAT PC & 316SS WALL MOUNTED POOL LIGHT



HT016C

● RGB

900 LM/18 W

1500 LM/30W

○ WHITE

2100 LM/21 W

3300 LM/33 W



HT018C

● RGB

900 LM/18 W

1500 LM/30W

○ WHITE

2100 LM/21 W

3300 LM/33 W



HT204

● RGB

900 LM/18 W

1500 LM/30W

○ WHITE

2100 LM/21 W

3300 LM/33 W



HT208

● RGB

900 LM/18 W

1150 LM/23 W

1500 LM/30W

1650 LM/33 W

1800 LM/36 W

2750 LM/55 W

○ WHITE

2100 LM/21 W

2600 LM/26 W

3300 LM/33 W

3600 LM/36 W

3900 LM/39 W

6000 LM/60 W

MODEL	Description of goods	POWER/INPUT		LUMEN		CONTROL
		RGB	WHITE(W)	RGB	WHITE(W)	
HT016C	FLAT PC WALL MOUNTED 252 LEDS	18W/12V	21W/12V	900 LM	2100 LM	ON/OFF OR DMX
	FLAT PC WALL MOUNTED 432 LEDS	30W/12V	33W/12V	1500 LM	3300 LM	
HT018C	FLAT PC WALL MOUNTED 252 LEDS	18W/12V	21W/12V	900 LM	2100 LM	
	FLAT PC WALL MOUNTED 432 LEDS	30W/12V	33W/12V	1500 LM	3300 LM	
HT204	FLAT 316SS WALL MOUNTED 252 LEDS	18W/12V	21W/12V	900 LM	2100 LM	
	FLAT 316SS WALL MOUNTED 432 LEDS	30W/12V	33W/12V	1500 LM	3300 LM	
HT208	FLAT 316SS WALL MOUNTED 252 LEDS	18W/12V	21W/12V	900 LM	2100 LM	
	FLAT 316SS WALL MOUNTED 324 LEDS	23W/12V	26W/12V	1150 LM	2600 LM	
	FLAT 316SS WALL MOUNTED 432 LEDS	30W/12V	33W/12V	1500 LM	3300 LM	
	FLAT 316SS WALL MOUNTED 531 LEDS	33W/12V	36W/12V	1650 LM	3600 LM	
	FLAT 316SS WALL MOUNTED 630 LEDS	36W/12V	39W/12V	1800 LM	3900 LM	
	FLAT 316SS WALL MOUNTED HIGH POWER LED	55W/12V	60W/12V	2750 LM	6000 LM	

The Finest Underwater Light
Easy mounting and replacementIt
can be used widely in swimming pools and spa



SIBA

TRADITIONAL 316SS WALL MOUNTED POOL LIGHT




HENTECH

2MM THICKNESS 316SS WALL MOUNTED POOL LIGHT



HT002C-P

RGB	900 LM/18 W	1500 LM/30 W
WHITE	2100 LM/21 W	3300 LM/33 W




HT222



RGB	500 LM	900 LM	1500 LM
RGB	10 W	18 W	30 W
WHITE	1200 LM	2100 LM	3300 LM
WHITE	12 W	21 W	33 W



HT201




RGB	900 LM	1150 LM	1500 LM	1650 LM	1800 LM	2750 LM	4750 LM
RGB	18 W	23 W	30 W	33 W	36 W	55 W	95 W
WHITE	2100 LM	2600 LM	3300 LM	3600 LM	3900 LM	6000 LM	10000 LM
WHITE	21 W	26 W	33 W	36 W	39 W	60 W	100 W



HT001C-P

RGB	900LM/18W	1150LM/23W	1500LM/30W
WHITE	2100LM/21W	2600LM/26W	3300LM/33W
RGB	1650LM/33W	1800LM/36W	2750LM/55W
WHITE	3600LM/36W	3900LM/39W	6000LM/60W
RGB	4750LM/95W		
WHITE	10000LM/100W		




MODEL	Description of goods	POWER/INPUT		LUMEN		CONTROL
		RGB	WHITE(W)	RGB	WHITE(W)	
HT222	316SS WALL MOUNTED 252 LEDS	18W/12V	21W/12V	900 LM	2100 LM	ON/OFF OR DMX
HT002C-P	316SS WALL MOUNTED 432 LEDS	30W/12V	33W/12V	1500 LM	3300 LM	
	316SS WALL MOUNTED 252 LEDS	18W/12V	21W/12V	900 LM	2100 LM	
	316SS WALL MOUNTED 324 LEDS	23W/12V	26W/12V	1150 LM	2600 LM	
HT201	316SS WALL MOUNTED 432 LEDS	30W/12V	33W/12V	1500 LM	3300 LM	
HT001C-P	316SS WALL MOUNTED 531 LEDS	33W/12V	36W/12V	1650 LM	3600 LM	
	316SS WALL MOUNTED 630 LEDS	36W/12V	39W/12V	1800 LM	3900 LM	
	316SS WALL MOUNTED HIGH POWER LED	55W/12V	60W/12V	2750 LM	6000 LM	

SIBA

PATENT DESIGN

LED POOL LIGHT


Fit for multi Pool lighting system, such as concrete pool, fiberglass pool, vinyl pool, liner pool,ect.



HT008C-P



RGB	900LM/18W	1150LM/23W	1500LM/30W
WHITE	2100LM/21W	2600LM/26W	3300LM/33W

RGB	900LM/18W	1150LM/23W	1500LM/30W
WHITE	2100LM/21W	2600LM/26W	3300LM/33W



HT019C


Installation Diagram



MODEL	Description of goods	POWER/INPUT		LUMEN		CONTROL
		RGB	WHITE(W)	RGB	WHITE(W)	
HT008C-P	PC Wall Mounted LED LIGHT 252 LED	18W/12V	21W/12V	900 LM	2100 LM	ON/OFF OR DMX
	PC Wall Mounted LED LIGHT 324 LED	23W/12V	26W/12V	1150 LM	2600 LM	
	PC Wall Mounted LED LIGHT 432 LED	30W/12V	33W/12V	1500 LM	3300 LM	
	PC Wall Mounted LED LIGHT 531 LED	33W/12V	36W/12V	1650 LM	3600 LM	
	PC Wall Mounted LED LIGHT 630 LED	36W/12V	39W/13V	1800 LM	3900 LM	
HT019C	PC Wall Mounted LED LIGHT HIGH POWER LED	55W/13V	60W/14V	2750 LM	6000 LM	

SIBA

MINI SPA & STEP LIGHT



HT026C

● RGB

300 LM/6 W

○ WHITE

700 LM/7 W



HT028C


Equipped with stainless steel frame
HT400

● RGB

300 LM/6 W

○ WHITE

700 LM/7 W



HT313

● RGB

200 LM/4 W

○ WHITE

500 LM/5 W




HT211

○ WHITE

200LM/2W


MODEL	Description of goods	POWER/INPUT		LUMEN		CONTROL
		RGB	WHITE(W)	RGB	WHITE(W)	
HT313	PC 1.5" Thread LED LIGHT 36 LEDS	4W/12V	5W/12V	200 LM	500LM	ON/OFF
HT028C	PC 1.5" Thread LED LIGHT 99 LEDS	6W/12V	7W/12V	300 LM	700 LM	ON/OFF OR DMX
HT400	316S SS 1.5" Thread LED LIGHT 99 LEDS	6W/12V	7W/12V	300 LM	700 LM	
HT026C	PC 2" Thread LED LIGHT 45 LEDS	6W/12V	7W/12V	300 LM	700 LM	ON/OFF
HT211	316SS LED SPOT LIGHT With COB LED	N/A	2W/12V	N/A	200 LM	

Installation Diagram



SIBA
MEDIUM WALL MOUNTED
LED POOL LIGHT

Wall mounted installation without drilling holes
More convenient installation



HT312

- RGB

300LM/6W
- WHITE

700LM/7W



HT323

- RGB

300LM/6W
- WHITE

700LM/7W



HT302

- RGB

500LM/10W

900LM/18W
- WHITE

1100LM/11W

2100LM/21W



HT202

- RGB

500LM/10W

900LM/18W
- WHITE

1100LM/11W

2100LM/21W




MODEL	Description of goods	POWER/INPUT		LUMEN		CONTROL
		RGB	WHITE(W)	RGB	WHITE(W)	
HT312	PC Wall Mounted LED LIGHT 54 LEDS	6W/12V	7W/12V	300 LM	700 LM	ON/OFF
HT323	PC Wall Mounted LED LIGHT 90 LEDS	6W/12V	7W/12V	300 LM	700 LM	
HT302	PC Wall Mounted LED LIGHT 252 LEDS	10W/12V	11W/12V	500 LM	1100 LM	ON/OFF OR DMX
		18W/12V	21W/12V	900 LM	2100 LM	
HT202	316 SS Wall Mounted LED LIGHT 252 LEDS	10W/12V	11W/12V	500 LM	1100 LM	
		18W/12V	21W/12V	900 LM	2100 LM	


SIBA

1.5 INCH SNAP OR THREAD


The lamp is super thin. The thickness is merely 10mm, felt like at the same plane with the wall of the swimming pool.




● RGB	500 LM/10 W	900 LM/18 W
○ WHITE	1200 LM/18 W	2100 LM/21 W



● RGB	900 LM/18 W	1150 LM/23 W	1500 LM/30 W
○ WHITE	2100 LM/21 W	2600 LM/26 W	3300 LM/33 W



● RGB	900 LM/18 W	1150 LM/23 W	1500 LM/30 W
○ WHITE	2100 LM/21 W	2600 LM/26 W	3300 LM/33 W




● RGB	900 LM/18 W	1150 LM/23 W	1500 LM/30 W
○ WHITE	2100 LM/21 W	2600 LM/26 W	3300 LM/33 W



MODEL	Description of goods	POWER/INPUT		LUMEN		CONTROL
		RGB	WHITE(W)	RGB	WHITE(W)	
HT227C	316SS 1.5" Thread LED LIGHT 252 LEDS	10W/12V	12W/12V	500 LM	1200 LM	ON/OFF OR DMX
		18W/12V	21W/12V	900 LM	2100 LM	
HT029C-1	PC 1.5" Thread LED LIGHT 252 LEDS	18W/12V	21W/12V	900 LM	2100 LM	
HT029C-2	PC 1.5" Thread LED LIGHT 324 LEDS	23W/12V	26W/12V	1150 LM	2600 LM	
	PC 1.5" Thread LED LIGHT 432 LEDS	30W/12V	33W/12V	1500 LM	3300 LM	
HT029S	316 SS 1.5" Thread LED LIGHT 252 LEDS	18W/12V	21W/12V	900 LM	2100 LM	
	316 SS 1.5" Thread LED LIGHT 324 LEDS	23W/12V	26W/12V	1150 LM	2600 LM	
	316 SS 1.5" Thread LED LIGHT 432 LEDS	30W/12V	33W/12V	1500 LM	3300 LM	




JELLYFISH SERIS LED POOL LIGHT



「 MOON JELLYFISH POOL LIGHT MAKE YOUR POOL
BLEND INTO THE OCEAN 」



MODEL	Description of goods	POWER/INPUT		LUMEN		CONTROL
		RGB	WHITE(W)	RGB	WHITE(W)	
HT012LJ	Jellyfish Seris PC Wall Mounted 252 LEDS	20W/12V	23W/12V	1100 LM	2300 LM	ON/OFF OR DMX
	Jellyfish Seris PC Wall Mounted 432 LEDS	32W/12V	35W/12V	1250 LM	3500 LM	
HT012MJ	Jellyfish Seris PC Wall Mounted 252 LEDS	12W/12V	15W/12V	700 LM	1500 LM	
HT012SJ	Jellyfish Seris PC Wall Mounted 99 LEDS	7W/12V	9W/12V	350LM	900LM	



SIBA


Silicone Neon Strip Light

Features & BeneFits

- High transmittance, environmentally friendly silicone material, integrated extrusion molding process;
- Unique optical light distribution structure design, with uniform and shadow free surface light output;
- Ip68 protection level, salt solution resistance, weak acid and alkali corrosion resistance, UV resistance;
- Anti chlorination, can be applied to underwater environments such as swimming pools;
- Excellent toughness, simple and stylish appearance, exquisite and unique;
- 3-year warranty, with a working life of ≥ 30000 hours



White light strip



Dark white

warm white



bright white

Blue light strip



Colorful light strip



Single color(Lm/m)

CCT (K)	CRI	Voltage	Power (W)	Lumen (LM/M)	Efficiency (LM/W)	UnitLength (mm)	Max Run Length (M)	CC/CV
3000K $\pm$ 150	≥ 90	DC12V/22V	10	375	37.5	50	15 (CC)	(CC-CV)
4000K $\pm$ 300	≥ 90	DC12V/22V	10	410	41	50	15 (CC)	(CC-CV)
6100K $\pm$ 400	≥ 90	DC12V/22V	10	375	37.5	50	15 (CC)	(CC-CV)
blue	--	DC12V/22V	10	89	8.9	50	15 (CC)	(CC-CV)

*Note: The maximum production length is 10 meters per piece



RGB(Lm/m)

CCT (K)	CRI	Voltage	Power (W)	Lumen (LM/M)	Efficiency (LM/W)	UnitLength (mm)	Max Run Length (M)	CC/CV
R	-	DC12V/22V	3.3	54.45	16.5	83.33	5 (CC)	CV
G	-	DC12V/22V	3.3	201.3	61	83.33	5 (CC)	CV
B	-	DC12V/22V	3.3	39.6	12	83.33	5 (CC)	CV
RGB	--	DC12V/22V	10	295	29.5	83.33	5 (CC)	CV

SIBA

RECTANGLE LED POOL LIGHT

Lamps with a large light-emitting area can disperse light more evenly, reducing the hardness of shadows and creating a softer light effect, increases Lighting Efficiency.



MODEL	Voltage	RGB		WHITE		LED Quantity (PCS)	CONTROL
		Power(W)	Lumen(LM)	Power(W)	Lumen(LM)		
HT406	12V AC/DC (12~18VAC/DC)	55	2750	60	6000	252	ON/OFF OR DMX

SIBA

RF & WIFI CONTROLLER

APP Download is now available forAndroid & IOSEasy WiFi connection, suitable forPublic or Home WiFi control.

Features & BeneFits

- RF & WiFi RGB controller
- 7 Colors & 9 changing modes for option
- Enable to dim brightness for each color.
- Easy & Simple operation..
- High output current for different project requirements



Lastest Two Wires DMX control system



RC03Pro



RC03Pr01



APP CONTROL



Remote



APP Download is now available forAndroid &loSEasy WiFi connection, suitable forPublic or Home WiFi control.

MODEL	Input Voltage	Current	Max Output	Remarks
RC04Pro	110VAC/220VAC	5A	220W	RF ONLY
RC04Pr01	110VAC/220VAC	5A	220W	RF & WiFi
RC03Pro	110VAC/220VAC	10A	1000W/2000W	RF ONLY
RC03Pr01	110VAC/220VAC	10A	1000W/2000W	RF & WiFi
RC10	110VAC/220VAC	5A	200W	RF & WiFi

Traditional Four Wires DMX control system



RC10

DMX 512 protocol is widely used on swimming pool, it can create custom lighung scenes, ensure stable and professional lighting performance.



SIBA

REMOTE CONTROLLER

ON/OFF Remote Contoller Box



RC01B

Input/Output: 12VAC/12VAC
Output Current: 30A
Control Distance: 100m
WiFi Control is available



RC05B

Input: 110VAC/220VAC
Output: 12VAC
70W Transformer Included
Control Distance: 100m
WiFi Control is available

ON/OFF Remote Contoller Box With AUX Terminal



RC04B

Input: 110VAC/220VAC
Output: 12VAC
220W Transformer Included
Control Distance: 100m
WiFi Control is available
AUX TERMINAL




RC03B

Input/Output: 110VAC/220VAC
Output Current: 30A
Control Distance: 100m
AUX TERMINAL



AUX Terminal




Two AUX terminal for other Electronic products in your Pool, like the Pumps, cleaning robot, Pool Cover, other lighting, extra.




Bracket for Liner Pool

ACS003




ACS008



Bracket for Fiberglass Pool


ACS003B



ACS008B




PC Niche



ACS-NICHE

316L stainless steel Niche



ACS-NICHE-SS

Waterproof Transformer 100W



TSF100

Waterproof Transformer 500W



TSF500

Bracket for Niche lighting replacement



ACS-USA

1.5 Inch Wall Fitting/Nozzle



ACS - Inlet

Waterproof cable connector



ACS-CCT




Download the app
Tuya Smart/Smart Life

Download on the
App Store

Get in the
Google Play

Smart speaker controls lighting

Intelligent lighting synchronized with music, creating an exclusive stage for you



SIBA Echo Show 8


With Spatial Audio, Smart Home Hub, and Alexa



SIZE	7.9 inches * 5.5 inches * 4.2 inches
WEIGHT	36.6 ounces (1034 grams) actual size and weight may vary due to manufacturing process
EXHIBITION	8.0-inch high-definition touch screen
CAMERA	13 MP center camera with built-in shutter (photo quality/size may vary)
WIRELESS NETWORK CONNECTION	Dual band WiFi supports 802.11a/b/g/n/ac WiFi networks. Not compatible with connecting to ad-hoc (or peer-to-peer) WiFi networks
SMART HOME CENTER	Zigbee+Matter+Thread Border Router
BLUETOOTH CONNECTIVITY	The Advanced Audio Distribution Profile (A2DP) supports audio streaming from mobile devices to Echo show8 or from Echo show8 to Bluetooth speakers. Audio/Video Remote Control Profile (AVRCP), used for voice control of connected mobile devices. Mac OSX devices do not support hands-free voice control. Bluetooth speakers that require a PIN code are not supported.



SIBA Pressure Switch



Pressure switch function:
wave making, SPA water spray

Suitable for sauna rooms and
swimming pools

