

4 SEASONS SWIMMING

MR. PERFECT

SIBA




INVERPAD[®]
TURBO

INVERPAD[®]

TURBO

InverPad Turbo is an innovative and unique patent owned by Aquark. For the first time in pool industry, it utilizes the most advanced silent technology in Turbofan, which is combined with aerodynamic optimization and the best noise cancelling technologies to set a new milestone in noise level. You can hardly hear any mechanical noise.

Furthermore, InverPad Turbo was developed to run in the harshest conditions. Thanks to TurboFan's new airflow system, it increases the heat exchange area and maximizes heat output to guarantee an excellent performance under cold weather. Enjoy swimming all year long throughout the four seasons!



PERFECT SILENCE



38.4dB(A) AVERAGE



20 TIMES MORE SILENT
THAN ON/OFF HEAT PUMP




SIBA

PERFECT PERFORMANCE


COP UP TO 16.0

69% MORE ENERGY SAVING
THAN ON/OFF



AIR OPERATION -15°C

50% HEATING OUTPUT
UNDER HARSH CONDITIONS




TRENDY APPEARANCE

Mr. Perfect incorporates round corners to the classic Pad design, enhancing simplicity and uniqueness to the next level.



Advanced Controller

The improved controller provides simple operation with advanced data monitoring. It also combines full panel tempered glass and responsive back lighting for a highly sophisticated appearance.



Built-in Wi-Fi

With built-in Wi-Fi and the smart app InverGo, you can get all the features in the controller of your heat pump, plus much more.



SIBA



MORE ADVANTAGES



Twisted titanium heat exchanger
40% higher efficiency



Twin-rotary DC
compressor



EEV Technology:
Increase COP by 20%



Full electrical system protection:
180V-260V and soft start



SPA option
Heat up to 40°C



Quick and efficient
Reverse cycle defrosting



Parameters of Mr. Perfect

		MPC110	MPC140	MPC170	MPC220	MPC270	MPC320	MPC320S	MPC410S
 Performance	Air 27°C / Water 27°C / Humidity 80%								
	Heating capacity (kW) Perfect Mode	9.0	10.8	13.4	17.5	20.6	26.8	26.8	34.5
	COP Range	15.0~7.3	15.0~7.4	15.0~7.1	15.5~7.4	15.2~7.3	16.0~7.2	15.8~7.2	16.0~7.0
	Average COP at 50% Speed	11.4	11.0	11.1	11.8	11.5	11.6	11.6	11.5
	Heating Capacity (kW) Power Mode	11.0	13.8	17.0	22.0	26.5	31.5	31.5	40.5
	Air 15°C / Water 26°C / Humidity 70%								
	Heating capacity (kW) Perfect Mode	6.2	7.6	9.2	12.4	14.4	18.0	18.0	23.9
	COP Range	7.5~5.0	7.6~5.1	7.8~5.0	8.2~5.1	7.9~5.2	8.0~5.2	8.0~5.0	8.3~5.1
	Average COP at 50% Speed	6.7	6.5	6.5	7.0	6.8	6.9	7.0	7.0
	Heating Capacity (kW) Power Mode	7.7	9.2	11.5	15.0	18.0	21.8	22.1	29.0
Advised pool volume (m³)	20~45	30~55	35~65	40~80	50~95	60~120	60~120	85~160	
Operating air temperature	-15°C ~ 43°C								
 Components	Compressor	Twin-Rotary DC Compressor							
	Fan Motor	Turbofan							
	Casing	Aluminium Alloy							
	Power supply	230V 1Ph						400V 3Ph	
 Sound	Sound level at 1m dB(A)	36.3~44.5	36.5~45.9	39.3~46.7	39.5~49.8	39.8~50.2	40.3~50.8	40.5~50.9	40.6~51.3
	Sound level by 50% speed 1m dB(A)	38.4	40.3	42.2	43.1	43.0	45.1	45.6	45.7
	Sound level at 10m dB(A)	16.3~24.5	16.5~25.9	19.3~26.7	19.5~29.8	19.8~30.2	20.3~30.8	20.5~30.9	19.6~31.3
 Others	Rated input power (kW)	0.24~1.79	0.29~2.14	0.36~2.67	0.45~3.33	0.54~4.00	0.59~4.36	0.60~4.42	0.78~5.80
	Input power at 50% Speed (kW)	0.46	0.58	0.71	0.89	1.06	1.30	1.29	1.71
	Rated input current (A)	1.05~7.79	1.26~9.30	1.57~11.63	1.96~14.49	2.35~17.39	2.56~18.96	0.86~6.41	1.13~8.41
	Advised water flux (m³/h)	2~4	3~4	4~6	6~9	8~10	10~12	10~12	12~18
	Water connection (mm)	50							
 Dimension	Net dimension LxWxH (mm)	750×504×656	750×504×656	840×504×656	980×504×756	1135×514×756	1029×512×1107	1029×512×1107	1139×512×1106
	Net Weight (kg)	66	73	75	91	114	136	142	160
	Qty per 20FT / 40HQ (sets)	78/162	78/162	72/150	40/126	34/108	18/80	18/80	16/72

Remarks: The data above is only for reference. For specific data, please refer to the nameplate on the unit.

* Advised pool volume applies to a private pool with isothermal cover.




GO DOUBLE 4 SEASONS

Go Double maximizes user's swimming experience and investment by choosing a double capacity inverter heat pump.




Extreme silence

Over 1.4 times more silent



Extreme saving

More than 38% saving.



Double season

Extend your pool season by two and enjoy swimming for most of the year.



Double value


A 22kW heat pump doubles your pool season. Therefore, it doubles your pool investment return.



Sizing Reference



Different pool size vs capacity of heat pump



www.sibastore.com

Lefkoşa Mağaza
0 548 853 80 80

Karaoğlanoğlu Mağaza
+ 0 533 883 5858

Girne Mağaza
+90 392 815 47 28

Mağusa Mağaza
+90 533 832 44 64

Erölkü Mağaza
+90 548 811 40 40

Alsancak Depo
+90 533 870 03 01



SIBA

Karaoğlanoğlu Caddesi No.285, Karaoğlanoğlu - Girne / KKTC
+90 533 832 72 49 444 74 22 info@sibaltd.com