

SBA
E-MOTION



上汽大通
MAXUS

MAXUS

PRODUCT BROCHURE



Deliver 9



130 kW Maximum Power
420 N·m Maximum Torque



VAN: Up to 1600kg
CAB: Up to 2385kg

Deliver 9 Specification

VAN FWD N1 3.5T	
VERSION	L3H2
	FWD(SRW)
DIMENSIONS	
Seating	3
Slide door	Single/Dual
Overall length (mm)	5940
Overall width without mirrors (mm)	2062
Overall height (mm)	2535
Wheelbase (mm)	3760
Maximum load volume (with bulkhead) (cu.m)	11.5
WEIGHTS AND PAYLOAD	
GVM(kg)	3500
Min.kerb mass (kg)*	2285
Max.gross payload (kg)	1215
GTM (kg)	6000
Max.towing (Braked/Unbraked) (kg)	2800/750
PERFORMANCE AND STEERING	
Peak power (kW)	110~130
Peak torque (Nm)	375~420
Max speed (km/h)	160
Min.turning circle (m)	14.1
ENGINE AND TRANSMISSION	
Engine	D20T
Displacement (ml)	1996
Fuel	Diesel
Emission level	EURO 5/EURO 6/EURO VI
Transmission	6MT/8AT
WHEELS AND TYRES	
Wheels	16-inch steel/alloy wheel
Rear wheels	Single Rear Wheel
Tyres	215/75R16

*It is the weight of a standard-specification base vehicle (different series will have different kerb masses) without the driver (75 kg), crew or carg

£ 32.500

Deliver 7



110kW
Maximum Power

1220kg
Maximum Payload

Deliver 7 Specification

VAN FWD N1 3.5T	
Version	L2H2
	FWD
Dimensions	
Seating	2/3
Slide door	Single/Dual
Overall length (mm)	5372
Overall width without mirrors (mm)	2030
Overall height (mm)	2420
Wheelbase (mm)	3357
Maximun load volume (with bulkhead) (cu.m)	9.2
WEIGHTS AND PAYLOAD	
GVM (kg)	3500
Min.kerb mass (kg)*	2280/2290
Max.gross payload (kg)	1220/1210
GTM (kg)	5200
Max.towing (Braked/Unbraked) (kg)	2000/750
PERFORMANCE AND STEERING	
Peak power (kW)	110
Peak torque (N-m)	375
Max.speed (km/h)	160
Min.turning circle (m)	13.4
ENGINE AND TRANSMISSION	
Engine	D20
Displacement (ml)	1996
Fuel	Diesel
Emission level	EURO VI E
Transmission	6MT
WHEELS AND TYRES	
Engine	16-inch steel/alloy wheel
Displacement (ml)	215/75R16

*It is the weight of a standard-specification base vehicle (different series will have different kerb masses) without the driver (75 kg), crew or cargo.

EXTERIOR & INTERIOR



- Wing-shaped front design and diamond-patterned grill
- LED DRL &Auto Headlight
- 10 Way Adjustable Driver Seat

SAFETY



- Gold Ratings of Commercial Van
- Six Airbags

Infotainment & Connectivity



- Touch Screen 12.3inch + 360°Camera
- MP5+DAB Radio Bluetooth
- Apple Carplay & Android Auto

£ 30.500

T60 MAX



Diesel: Maximum power 120kW, Maximum Torque 400N·m
Petrol: Maximum power 118 kW, Maximum torque 220N·m
Maximum Torque 410N·m

Diesel/Petrol
Engine Model

3155
Wheelbase(mm)

T60 MAX Specification

PICK UP RWD/4X4

VERSION

Double Cab

DIMENSIONS

Seating	5
door	4
Overall length (mm)	5365
Overall width without mirrors (mm)	1900
Overall height (mm)	1809
Cargo Box length (mm)	1485
Cargo Box width(mm)	1510
Cargo Box height(mm)	530
Wheelbase (mm)	3155
Wading Depth (mm)	550
Ground Clearance (unladen, mm)	215
Angle of Approach (unladen, degrees)	27°
Angle of Departure (unladen, degrees)	24°

WEIGHTS AND PAYLOAD

GVM (kg)	2970
CVM(kg)	1970
Payload (kg)	1000
Max front axle load(kg)	1195
Max rear axle load(kg)	1775
Max.towing (Braked/Unbraked) (kg)	/

PERFORMANCE AND STEERING

Maximum Power	184
Maximum Torque	410
Max.speed (km/h)	180

FUEL AND EMISSIONS

Engine	NF2
Displacement (ml)	1986
Fuel	Petrol
Emission level	Euro V
Transmission	8AT

WHEELS AND TYRES

Wheels	16-inch alloy wheel
Tyres	245/65 R17

SAFETY
FIRST



·It has from 2 to 6 airbags, ABS+EBD+ESP, TPMS, IMMO and isofix system.

LARGE
INTERIOR
SPACE



·The new T60 has one of the largest cabins in the category highlighting the ample space and comfort of the rear seats.

CONNECTIVITY
IN FULL
MEASURE



·The T60 features a 10.25 " widescreen display with Apple Carplay+ Android Auto.

£ 38.000

eDeliver 9-N1



77kWh/88kWh

Battery Capacity

275~330km

WLTP Range(combined)

VAN 1040kg
CAB 1345kg

Maximum Payload

eDeliver 9-N1 Specification

VAN RWD N2 4.25T

VERSION	L3H3
DIMENSIONS	88 kWh
Seating	3
Slide door	Single/Dual
Overall length (mm)	5940
Overall width without mirrors (mm)	2062
Overall height (mm)	2730
Wheelbase (mm)	3760
Maximum load volume (with bulkhead) (cu.m)	12.3
WEIGHTS AND PAYLOAD	
GVM (kg)	3500
Min.kerb mass (kg)*	2650
Max.gross payload (kg)	850
GTM (kg)	3760
Max.towing (Braked/Unbraked) (kg)	12.3
PERFORMANCE AND STEERING	
Peak power (kW)	150
Peak torque (Nm)	330
Max.speed (km/h)	100
Min.turning circle (m)	14.8
BATTERY AND CHARGING	
Battery energy (kWh)	88
WLTP Combined Range (km)**	322
WLTP City Range (km)**	425
Onboard charger (kW)***	11/22
5-100% AC charging-Onboard charger 3-phase tethered (hrs)***	9.4/5.2
High-powered DC charger (kW)***	90
10-80% DC charging (mins)***	51
WHEELS AND TYRES	
Wheels	16-inch steel/alloy wheel
Tyres	215/75R16



£ 50.000

*It is the weight of a standard-specification base vehicle (different series will have different kerb masses) without the driver (75 kg), crew or cargo.

**Based on full charge. Estimated range & energy consumption using Worldwide Harmonised Light Vehicle Test Procedure (WLTP). Actual range & energy consumption varies with conditions such as temperature, using of air conditioner, driving mode and behaviours, route profile, vehicle maintenance, and battery age and condition.

***Charge power can decrease with increasing state of charge. Actual charge times and charge speeds can vary based on different factors (e.g. temperature, vehicle maintenance, battery age and condition, used charging infrastructure).

eDeliver 7-FWD



310~370km
WLTP Range(combined)

77kWh / 88kWh
Battery Capacity

1200kg
Maximum Payload

eDeliver 7 Specification

Panel VAN FWD N1 3.5T

Version

L2H2

88 kWh

Dimensions

Seating	2/3
Slide door	Single/Dual
Overall length (mm)	5445
Overall width without mirrors (mm)	2030
Overall height (mm)	2390
Wheelbase (mm)	3366
Maximun load volume (with bulkhead) (cu.m)	8.7

WEIGHTS AND PAYLOAD

GVM (kg)	3500
Min.kerb mass (kg)*	2475/2510
Max.gross payload (kg)	1025/990
GTM (kg)	5000
Max.towing (Braked/Unbraked) (kg)	2000/750

PERFORMANCE AND STEERING

Peak power (kW)	150
Peak torque (N·m)	330
Max.speed (km/h)	120
Min.turning circle (m)	13.4

BATTERY AND CHARGING

Battery energy (kWh)	88
WLTP Combined Range (km)**	328
WLTP City Range (km)**	469
Onboard charger (kW)***	11
5-100% AC charging-Onboard charger 3-phase tethered (hrs)***	9.3
High-powered DC charger (kW)***	90
20-80% DC charging (mins)***	43

WHEELS AND TYRES

Wheels	16-inch steel/alloy wheel
Tyres	215/75R16

EXTERIOR



- Unique Diamond-shaped Grille
- LED DRL & Auto Headlight
- Electric Side-Step

SAFETY & COMFORT



- Gold Ratings Of Commercial Van
- Six Airbags
- EPB (Electric Parking braking)
- Keyless Start
- 10 Way Adjustable Driver Seat

AUDIO, INFOTAINMENT AND CONNECTIVITY



- Touch Screen 12.3inch + 360°Camera
- MP5+DAB Radio Bluetooth
- Apple Carplay & Android Auto



£ 47.500

*It is the weight of a standard-specification base vehicle (different series will have different kerb masses) without the driver (75 kg), crew or cargo.

**Based on full charge. Estimated range & energy consumption using Worldwide Harmonised Light Vehicle Test Procedure (WLTP). Actual range & energy consumption varies with conditions such as temperature, using of air conditioner, driving mode and behaviours, route profile, vehicle maintance, and battery age and condition.

***Charge power can decrease with increasing state of charge. Actual charge times and charge speeds can vary based on different factors(e.g. temperature, vehicle maintance, battery age and condition, used charging infrastructure).

eDeliver 5



370km

WLTP Range (combined)

3.8~8.7m³

Volume

1265kg

Maximum Payload

64kWh

Battery Capacity

eDeliver 5 Specification

VAN FWD N1 3.05~3.195T		
Version	L2H1	L2H2
	64kWh	64kWh
Dimensions		
Seating	6	2/3
Slide door	Dual	Single/Dual
Overall length (mm)	5250	5250
Overall width without mirrors (mm)	1874	1874
Overall height (mm)	1960	2180
Wheelbase (mm)	3450	3450
Maximun load volume (with bulkhead) (cu.m)	4.8	8.7
WEIGHTS AND PAYLOAD		
GVM (kg)	3110	3150(2S)/3195(3S)
Min.kerb mass (kg)*	2010	1930
Max.gross payload (kg)	1100	1220(2S)/1265(3S)
GTM (kg)	4610	4650(2S)/4695(3S)
Max.towing (Braked/Unbraked) (kg)	1500/750	1500/750
PERFORMANCE AND STEERING		
Peak power (kW)	120	120
Peak torque (N·m)	240	240
Max.speed (km/h)	120	120
Min.turning circle (m)	12.8	12.8
BATTERY AND CHARGING		
Battery energy (kWh)	64	64
WLTP Combined Range (km)**	321	301
WLTP City Range (km)**	469	436
Onboard charger (kW)***	11	11
20-80% AC charging-Onboard charger 3-phase tethered (hrs)***	8	4
High-powered DC charger (kW)***	70	70
20-80% DC charging (mins)***	36	36
WHEELS AND TYRES		
Wheels	16-inch alloy wheel	16-inch alloy wheel
Tyres	195/65 R16C	195/65 R16C

*It is the weight of a standard-specification base vehicle (different series will have different kerb masses) without the driver (75 kg), crew or cargo.

**Based on full charge. Estimated range & energy consumption using Worldwide Harmonised Light Vehicle Test Procedure (WLTP). . Actual range & energy consumption varies with conditions such as temperature, using of air conditioner, driving mode and behaviours, route profile, vehicle maintance, battery age and condition, and size and shape of cargo box on chassis cab.

***Charge power can decrease with increasing state of charge. Actual charge times and charge speeds can vary based on different factors(e.g. temperature, vehicle maintance, battery age and condition, used charging infrastructure).

*It is the weight of a standard-specification base vehicle (different series will have different kerb masses) without the driver (75 kg), crew or cargo.

**Based on full charge. Estimated range & energy consumption using Worldwide Harmonised Light Vehicle Test Procedure (WLTP). . Actual range & energy consumption varies with conditions such as temperature, using of air conditioner, driving mode and behaviours, route profile, vehicle maintance, battery age and condition, and size and shape of cargo box on chassis cab.

***Charge power can decrease with increasing state of charge. Actual charge times and charge speeds can vary based on different factors(e.g. temperature, vehicle maintance, battery age and condition, used charging infrastructure).

OUTSTANDING SPATIAL EFFICIENCY

·Developed on the brand new MIL A BEV platform, the eDeliver 5 could surpass the competitors in the same class over the internal space, providing 6.6m³ cargo volume with a body length of 4.8m

CONVENIENT DRIVING EXPERIENCE

·The design of column shift and electronic parking brake could make it more convenient to operate and release the space occupied by the traditional console

INFOTAINMENT DRIVING ASSIST

·Standard equipped with 12.3' HD Touchscreen, which integrated with 360° surrounding view and wireless Carplay and Android Auto

L2H1

£ 33.500

L2H2

£ 32.500

L2H1

L2H2

MIFA 9



435km
WLTP Range (combined)

90kWh
Battery Capacity

7/8
Multiple seat options

MIFA 9 Specification



MIFA 9	
VERSION	90 kWh
	Premium

DIMENSIONS	
Seating	7(2+2+3)
Slide door	Dual
Overall length (mm)	5270
Overall width without mirrors (mm)	2000
Overall height (mm)	1840
Wheelbase (mm)	3200

WEIGHTS	
GVM (kg)	3135
Min.kerb mass (kg)*	2535
Max.towing (Braked/Unbraked) (kg)	1000/750

PERFORMANCE AND STEERING	
Peak power (kW)	180
Peak torque (N·m)	350
Transmission	Single-speed auto
Drive Type	FWD
Max.speed (km/h)	180
Front suspension	Macpherson independent
Rear Suspension	Multi-link independent
Min.turning circle (m)	12.7

BATTERY AND CHARGING	
Battery energy (kWh)	90
WLTP Combined Range (km)**	430
WLTP City Range (km)**	565
Onboard charger (kW)***	11
5-100% AC charging-Onboard charger 3-phase tethered (hrs)***	9.5
High-powered DC charger (kW)***	120
30-80% DC charging (mins)***	50

WHEELS AND TYRES	
Wheels	19-inch alloy wheel
Tyres	235/55R19

*It is the weight of a standard-specification base vehicle (different series will have different kerb masses) without the driver (75 kg), crew or cargo.

**Based on full charge. Estimated range & energy consumption using Worldwide Harmonised Light Vehicle Test Procedure (WLTP). Actual range & energy consumption varies with conditions such as temperature, using of air conditioner, driving mode and behaviours, route profile, vehicle maintenance, battery age and condition, and size and shape of cargo box on chassis cab.

***Charge power can decrease with increasing state of charge. Actual charge times and charge speeds can vary based on different factors(e.g. temperature, vehicle maintenance, battery age and condition, used charging infrastructure).

£ 65.500



+90 548 861 15 91
www.sibaemotion.com
+90 548 861 15 91
www.sibaemotion.com